

# PARTS CATALOG

## 2008



SPIRIT. SPEED. INTEGRITY.

# HADLEY BRAND PROMISE

We deliver to the worldwide commercial and recreational vehicle markets innovative systems and services leading to differentiation and highest value solutions. We invest in enduring global partnerships.

We commit to working with  
**SPIRIT. SPEED. INTEGRITY.**



GLOBAL HEADQUARTERS & TRUCK GROUP  
2851 Prairie S.W.  
Grandville, MI 49418

Ph. 616.530.1717 Fax 616.530.3283

TRANSIT GROUP  
2503 Marina Drive  
Elkhart, IN 46514

Ph. 574.266.3700 Fax 574.266.3747

[www.hadley-products.com](http://www.hadley-products.com)



# TABLE OF CONTENTS

## AIR HORNS

Single Rectangular Bell • Single Round Bell • Bully® Horn Series • E Tone Horns  
• Complete Air Horn Kits • European • Accessories • Shields

1-12

## ELECTRIC HORNS

Trumpet Horn • Windtone Trio Horn • Disc Horn • Vibrosonic Horn • Vibro Mini Horn

13

## MINI AIR COMPRESSORS

Air Compressors • Service Kits • Compressor Kits

14

## MIRRORS

Truck Mirrors • RV & Specialty Mirrors • Tour Coach & Transit Mirrors

15-24

## TRANSIT LIGHT SYSTEMS

Lights • Interior Systems

25-27

## HEIGHT CONTROL VALVES/SYSTEMS

Linkages • Universal Valve Kits • OEM ALL MAKES Kits • Next Generation Height Control Valves

28-30


## SAMS®

Smart Air Management Systems

31

## TUBE BENDING

32



## SINGLE HORN ASSEMBLIES-RECTANGULAR BELL

- Rectangular bell shape
  - Horn support
  - Shield
- 7/16" - 24 thread air connection.  
Other sizes available

PRODUCT	LENGTH	HORN FINISH	HORN COMPOSITION	SHIELD SERVICE KIT	DIAPHRAGM KIT
<b>H02001A</b>	26"	Anodized	Aluminum	H02001SRH	981SS
<b>H02003A</b>	29"	Anodized	Aluminum	H02001SRH	981SS
<b>H02101A</b>	26"	Chrome	Aluminum	H02101SRH	981SS
<b>H02102A</b>	24.5"	Chrome	Aluminum	H02101SRH	981SS
<b>H02103A</b>	29"	Chrome	Aluminum	H02101SRH	981SS
<b>H00984B</b>	20"	Chrome	Steel	H00977HB	981SS
<b>H00978</b>	26"	Chrome	Steel	H00977HB	981SS
<b>H00977</b>	29"	Chrome	Steel	H00977HB	981SS



## SINGLE HORN ASSEMBLIES-ROUND BELL

- Round bell shape
  - Horn support
  - Shield not included
- 7/16" - 24 thread air connection.  
Other sizes available

PRODUCT	LENGTH	HORN FINISH	HORN COMPOSITION	SHIELD SERVICE KIT	DIAPHRAGM KIT
<b>H02006A</b>	26"	Anodized	Aluminum	H02003SRH	981SS
<b>H02007A</b>	29"	Anodized	Aluminum	H02003SRH	981SS
<b>H02106A</b>	26"	Chrome	Aluminum	H02106SRH	981SS
<b>H02107A</b>	29"	Chrome	Aluminum	H02106SRH	981SS
<b>H00856</b>	19"	Chrome	Zinc	H00929B	981SS
<b>H00855</b>	22"	Chrome	Zinc	H00929B	981SS
<b>H00871A</b>	24.5"	Chrome	Aluminum	H00929B	981SS
<b>H00876A</b>	30"	Chrome	Aluminum	H00928B	981SS
<b>H00877A</b>	34"	Chrome	Aluminum	H00928B	981SS
<b>H00878A</b>	37.5"	Chrome	Aluminum	H00928B	981SS



## SINGLE BULLY® HORN

- 1/4" PTC (push to connect) air connection

PRODUCT	LENGTH	HORN FINISH	HORN COMPOSITION	SHIELD SERVICE KIT	DIAPHRAGM KIT
<b>H00249</b>	15.5"	Anodized	Aluminum	H00926	910SS



## DUAL BULLY® HORNS

\* **H00640KP** includes adapter mounting bracket to match Grover #1609

- 910 Series - 7/16" -24 thread air port
- 640 Series - 1/4" NPT

PRODUCT	LENGTH	HORN FINISH	HORN COMPOSITION	SHIELD SERVICE KIT	DIAPHRAGM KIT
<b>H00910CA</b>	15.5"	Chrome	Zinc	H00926	910SS
<b>H00910GK</b>	15.5"	Black	Zinc	H00926	910SS
<b>H00910HP</b>	15.5"	Black	Plastic	H00925	910SS
<b>H00640R</b>	14 15/16"	Black	Zinc	H00926	910SS
<b>H00640KP*</b>	14 15/16"	Black	Plastic	H00925	910SS
<b>H00640Z</b>	14 15/16"	Black	Plastic	H00925	910SS
<b>H00640RP</b>	14 15/16"	Black	Plastic	H00925	910SS

## AMBASSADOR® RECTANGULAR AIR HORN KIT (VEHICLES WITHOUT AIR SOURCE)

### SOLENOID VALVE

- Next Generation bell design
- Two single rectangular bell shape horns
- 12VDC compressor
- 12V tank mount solenoid valve
- Horn supports

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H02109A</b>	26" & 29"	Chrome (Shown in photo)	(1) 26" H02101A horn, (1) 29" H02103A horn, H00550B tank mount solenoid valve, H00891M auxiliary air hose, H13940S pressure switch, H14212 gauge, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00751N air tank, parts bag
<b>H02009A</b>	26" & 29"	Anodized Aluminum	(1) 26" H02001A horn, (1) 29" H02003A horn, H00550B tank mount solenoid valve, H00891M auxiliary air hose, H13940S pressure switch, H14212 gauge, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00751N air tank, parts bag



## AMBASSADOR® RECTANGULAR AIR HORN KIT (VEHICLES WITHOUT AIR SOURCE)

### SOLENOID VALVE

- Legacy bell design
- Two single rectangular bell shape horns
- 12VDC compressor
- 12V tank mount solenoid valve
- Horn supports

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00977N</b>	26" & 29"	Chrome	(1) 26" H00978 horn, (1) 29" H00977 horn, H00550B tank mount solenoid valve, H00891M auxiliary air hose, H13940S pressure switch, H14212 gauge, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00751N air tank, parts bag



## AMBASSADOR® RECTANGULAR AIR HORN KIT (VEHICLES WITHOUT AIR SOURCE)

### SOLENOID VALVE

- Legacy bell design
- Two single rectangular bell shape horns
- 12VDC compressor
- 12V tank mount solenoid valve
- Shields and horn supports

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00984</b>	(2) 20"	Chrome	(2) 20" H00984B horns, H00550B tank mount solenoid valve, H00891M auxiliary air hose, H13940S pressure switch, H14212 gauge, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00751N air tank, parts bag





## AMBASSADOR® RECTANGULAR AIR HORN KIT (VEHICLES WITH AIR SOURCE)

### SOLENOID VALVE

- Next Generation bell design
- Two single rectangular bell shape horns
- 12V tank mount solenoid valve
- Shields, tubing and horn supports

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H02009D</b>	26" & 29"	Anodized	(1) 26" H02001A horn, (1) 29" H02003A horn, H00550B tank mount solenoid valve, H1311020S tubing, parts bag



## AMBASSADOR® RECTANGULAR AIR HORN KIT (VEHICLES WITH AIR SOURCE)

### LANYARD VALVE

- Legacy bell design
- Single rectangular bell shape horn
- Manual lanyard valve
- Shield, tubing and horn support

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00980</b>	26"	Chrome	(1) 26" H00978 horn, H00755NS lanyard valve, H1311020S tubing, parts bag
<b>H00979</b>	29"	Chrome	(1) 29" H00977 horn, H00755NS lanyard valve, H1311020S tubing, parts bag



## AMBASSADOR® RECTANGULAR AIR HORN KIT (VEHICLES WITH AIR SOURCE)

### LANYARD VALVE

- Legacy bell design
- Two single rectangular bell shape horns
- Manual lanyard valve
- Shield, tubing and horn supports

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00981</b>	26" & 29"	Chrome	(1) 26" H00978 horn, (1) 29" H00977 horn, H00755NS lanyard valve, H1311020S tubing, parts bag



## AMBASSADOR® RECTANGULAR AIR HORN KIT (VEHICLES WITH AIR SOURCE)

### REMOTE SOLENOID VALVE

- Legacy bell design
- Single rectangular bell shape horn
- 12V remote solenoid valve
- Shield, tubing and horn support

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00981S</b>	26"	Chrome	(1) 26" H00978 horn, H00550A 12V remote mount solenoid valve, H1311020S tubing, parts bag

## AMBASSADOR® ROUND BELL AIR HORN KIT (VEHICLES WITHOUT AIR SOURCE)

### SOLENOID VALVE

- Two single round bell shape horns
- 12VDC compressor
- 12V tank mount solenoid valve
- Shields and horn supports

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H02012A</b>	26" & 29"	Anodized	(1) 26" H02006A horn, (1) 29" H02007A horn, H00550B tank mount solenoid valve, H00891M auxiliary air hose, H13940S pressure switch, H14212 gauge, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00751N air tank, parts bag



## ROUND BELL AIR HORN KIT (VEHICLES WITH AIR SOURCE)

### LANYARD VALVE

- Single round bell shape horn
- Manual lanyard valve
- Tubing and horn support

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00857</b>	22"	Chrome	(1) 22" H00855 horn, H00755NS lanyard valve, H1311020S tubing, parts bag



## ROUND BELL AIR HORN KIT (VEHICLES WITH AIR SOURCE)

### LANYARD VALVE

- Two single round bell shape horns
- Manual lanyard valve
- Tubing and horn supports

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00859</b>	19" & 22"	Chrome	(1) 19" H00856 horn, (1) 22" H00855 horn, H00755NS lanyard valve, H1311020S tubing, parts bag





## BULLY® DUAL AIR HORN KIT (VEHICLES WITH AIR SOURCE)

### LANYARD VALVE

- Dual horn
- Chrome horns
- Black body
- Manual lanyard valve
- Tubing

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00900CA</b>	15.5"	Chrome	(1) H00910CA Bully® horn, H00755NS lanyard valve, H1311020S tubing, parts bag



## BULLY® DUAL AIR HORN KIT (VEHICLES WITHOUT AIR SOURCE)

### SOLENOID VALVE

- Dual horn
- 12VDC compressor
- Chrome horns
- Black body
- 12V tank mount solenoid valve

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00961EA</b>	15.5"	Chrome	(1) H00910CA Bully® horn, H00550B tank mount solenoid valve, H13940S pressure switch, H00891H auxiliary air hose, H14212 gauge, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00626 air tank, parts bag



## BULLY® DUAL AIR HORN KIT (VEHICLES WITHOUT AIR SOURCE)

### LANYARD VALVE

- Dual horn
- 12VDC compressor
- Chrome horns
- Black body
- Manual lanyard valve

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00962EA</b>	15.5"	Chrome	(1) H00910CA Bully® horn, H00755NS lanyard valve, H13940S pressure switch, H14212 gauge, H00891H auxiliary air hose, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00626 air tank, parts bag



## BULLY® UNDER HOOD AIR HORN KIT (VEHICLES WITHOUT AIR SOURCE)

### SOLENOID VALVE

- 12VDC compressor
- Dual horn
- 12V horn mount solenoid valve
- Black plastic or black zinc horn

PRODUCT	LENGTH	HORN FINISH	KIT INCLUDES
<b>H00964H</b>	14 15/16"	Black	(1) H00640Z Bully® horn, H00550C horn mount solenoid valve, H13940S pressure switch, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00626 air tank, parts bag
<b>H00964HM</b>	14 15/16"	Black	(1) H00640R Bully® horn, H00550C horn mount solenoid valve, H13940S pressure switch, H12949S toggle switch, H00850EC compressor, H1311020S tubing, H00626 air tank, parts bag



## SINGLE HORN ASSEMBLIES -RECTANGULAR BELL

- Rectangular bell shape
- Horn support
- M12 air connection

PRODUCT	LENGTH	HORN FINISH	HORN COMPOSITION	SHIELD SERVICE KIT	DIAPHRAGM KIT
<b>H02001ECE</b>	26"	Anodized	Aluminum	H02001SRH	981SS
<b>H02003ECE*</b>	29"	Anodized	Aluminum	H02001SRH	981SS
<b>H02101ECE</b>	26"	Chrome	Aluminum	H02101SRH	981SS
<b>H02102ECE</b>	24.5"	Chrome	Aluminum	H02101SRH	981SS
<b>H02103ECE</b>	29"	Chrome	Aluminum	H02101SRH	981SS
<b>H00984ECE</b>	20"	Chrome	Steel	H00977HB	981SS
<b>H00978ECE</b>	26"	Chrome	Steel	H00977HB	981SS
<b>H00977ECE</b>	29"	Chrome	Steel	H00977HB	981SS

\* H02003ECE 7/16" - 24 thread air connection



## SINGLE HORN ASSEMBLIES-ROUND BELL

- Round bell shape
- Horn support
- M12 air connection

PRODUCT	LENGTH	HORN FINISH	HORN COMPOSITION	SHIELD SERVICE KIT	DIAPHRAGM KIT
<b>H02006A</b>	26"	Aluminum	Aluminum	H02003SRH	981SS
<b>H02007A</b>	29"	Aluminum	Aluminum	H02003SRH	981SS
<b>H02106A</b>	26"	Chrome	Aluminum	H02106SRH	981SS
<b>H02107A</b>	29"	Chrome	Aluminum	H02106SRH	981SS
<b>H00856ECE</b>	19"	Chrome	Zinc	H00929B	981SS
<b>H00855ECE</b>	22"	Chrome	Zinc	H00929B	981SS
<b>H00871ECE</b>	24.5"	Chrome	Aluminum	H00928B	981SS
<b>H00876ECE</b>	30"	Chrome	Aluminum	H00928B	981SS
<b>H00877ECE</b>	34"	Chrome	Aluminum	H00928B	981SS
<b>H00878ECE</b>	37.5"	Chrome	Aluminum	H00928B	981SS



EUROPEAN MARK

THE WIDEST VARIETY  
OF LENGTHS IN  
EMERGENCY  
HORNS  
OFFERED!

## ALL CHROME BODY



## SILVER PAINTED BODY



## E TONE AIR HORNS

- Chrome horns
- Horn support
- 1/8" NPT port standard. Call for the size you need.
- Grover interchangeability. Call for horn supports.

PRODUCT	LENGTH	HORN FINISH	BODY FINISH	SHIELD SERVICE KIT
<b>H09318AC</b>	18"	Chrome	Chrome	H00929B
<b>H09321AC</b>	21"	Chrome	Chrome	H00929B
<b>H09324AC</b>	24.5"	Chrome	Chrome	H00929B
<b>H09330AC</b>	30"	Chrome	Chrome	H00929B
<b>H09418AC</b>	18"	Chrome	Silver	H00929B
<b>H09421AC</b>	21"	Chrome	Silver	H00929B
<b>H09424AC</b>	24.5"	Chrome	Silver	H00929B
<b>H09430AC</b>	30"	Chrome	Silver	H00928B



## AIR HORN ACCESSORY INSTALLATION KIT (VEHICLES WITHOUT AIR SOURCE)

- Kit does not include horn

PRODUCT	KIT INCLUDES
<b>H02014A</b>	H00550B solenoid valve, H00891M auxiliary hose, H13940S pressure switch, H14212 gauge, H12949S toggle switch, H00850D compressor, H1311020S tubing, H00751N air tank, parts bag




## SOLENOID VALVES

PRODUCT	DESCRIPTION	PRODUCT	DESCRIPTION
<b>A. H00550A</b>	12 volt remote mount 1/4"	<b>D. H00570CF</b>	12 volt and 24 volt remote mount w 1/4" PTC outlet fitting & 3/8" inlet fitting
<b>B. H00550B</b>	12 volt tank mount 1/8" NPT x 1/4"	<b>E. H00570H</b>	12 volt and 24 volt remote mount w 1/4" PTC outlet fitting & 3/8" inlet fitting and connector assembly
<b>C. H00550C</b>	12 volt horn mount 1/4"		




## LANYARD VALVES

PRODUCT	DESCRIPTION	PRODUCT	DESCRIPTION
<b>A. H00755NS</b>	Manual lanyard valve	<b>C. H15686B</b>	Lanyard valve - single port
<b>B. H00755VE</b>	Remote mount manual lanyard valve	<b>D. H15687B</b>	Lanyard valve - dual port
		<b>E. H15688B</b>	Lanyard valve - quad port



## AIR TANKS

PRODUCT	DESCRIPTION
<b>A. H00751N</b>	5" x 14" 275 cubic inch, 1/4" fittings provided
<b>B. H00626</b>	5" x 7" 138 cubic inch, 1/4" fittings provided



## AUXILIARY AIR HOSE


PRODUCT	DESCRIPTION
<b>H00891H</b>	25 ft.
<b>H00891M</b>	50 ft.



\*AVAILABLE IN 5 PACK

## BRACKETS FOR EXTERIOR MOUNT

- A. H00940** • Brackets (hat shaped) for rectangular horn
- B. H00940A** • Bracket (hat shaped) for dual Bully® horn



## H00962RM\* REMOTE MOUNT KIT

- For manual lanyard valve



## H12463S PLASTIC SLEEVE

- For 1/4" O.D. nylon tubing. pkg of 50



## H11081S\* AIR HORN FITTING SERVICE KIT



## H12949S TOGGLE SWITCH

- With 16 gauge wire & terminals



## H11477S\* MOUNTING ELBOW & TENSION WASHER KIT



## H1311020S 1/4" NYLON TUBING

- 20 ft. length



## H11553S\* TENSION WASHER



## H12489 SCHRADER TIRE VALVE

- 1/8" NPT fitting

IMAGE NOT AVAILABLE

## H12462S BRASS INSERTS

- For 1/4" O.D. nylon tubing, pkg of 50



## H14200 BALL AIR CHUCK

- 1/4" NPT female thread

IMAGE NOT AVAILABLE

## H13400AS\* EXTENSION MOUNTING STEM

- For thicker roofs



\*AVAILABLE IN 5 PACK

## AIR HORN MOUNTING PAD

- A. H13727S** • For all rectangular & round bell horn bases
- B. H16504S** • For dual horns




## H13723S\* UNIVERSAL AIR HORN SUPPORT KIT

- Replaces #HPB977-0
- For single chrome rectangular & round bell horns with three hole pattern mounting pad and washer



## AIR HORN SUPPORT KIT

- A. H00860A** • 2 hole Peterbilt horn supports with mounting pads
- B. H00860B** • 1 hole Grover horn supports with mounting pads



## H14212S 160 PSI AIR GAUGE



- HPB850C CHECK VALVE**
- In line 1/4" x 1/4" tubing w/ nuts, sleeves and inserts

IMAGE NOT AVAILABLE

## HPB748A 3 BRASS INSERTS 3 PLASTIC SLEEVES



## H15625S\* UNIVERSAL AIR HORN SUPPORT KIT

- Chrome with three hole pattern mounting pad for single rectangular and round bell horn



## H00757S\* ELBOW 90° EXTENSION KIT

- For roof mount horns



## H00910SS REPLACEMENT DIAPHRAGM KIT

- For Bully® series
- See page 2 for horn reference



## H00981SS REPLACEMENT DIAPHRAGM KIT

- For Round bell and Rectangular horns
- For 19" to 37.5" projectors
- See page 2 for horn reference



## H13940S PRESSURE SWITCH

- 110-135PSI





## ROUND BELL SHIELD

• See page 2 for cross reference

PRODUCT	SIZE	FINISH	LOGO	SHIELD COMPOSITION
<b>H00926</b>	3 3/4" & 4"	Polished	No	Stainless steel
<b>H00927</b>	5 3/4"	Polished	No	Stainless steel
<b>H00929B</b>	6 3/4"	Polished	No	Stainless steel
<b>H00928B</b>	7 3/4"	Polished	No	Stainless steel
<b>H00925</b>	3 3/4" & 4"	Black	No	Stainless steel



## ROUND NEXT GENERATION BELL SHIELD

• See page 2 for cross reference

PRODUCT	SIZE	FINISH	LOGO	SHIELD COMPOSITION
<b>H02003SRH</b>	NA	Anodized Aluminum	Yes	Aluminum
<b>H02106SRH</b>	NA	Chrome	Yes	Aluminum



## AMBASSADOR® LEGACY RECTANGULAR BELL SHIELD

• See page 2 for cross reference

PRODUCT	SIZE	FINISH	LOGO	SHIELD COMPOSITION
<b>H00977HB</b>	20"/26"/29"	Chrome	Yes	Zinc

Anodized



Chrome

## AMBASSADOR® NEXT GENERATION RECTANGULAR BELL SHIELD

• See page 2 for cross reference

PRODUCT	SIZE	FINISH	LOGO	SHIELD COMPOSITION
<b>H02001SRH</b>	NA	Anodized Aluminum	Yes	Aluminum
<b>H02101SRH</b>	NA	Chrome	Yes	Aluminum

## ELECTRIC DISC HORN

- R75 series
- Decibel Level 110 dBA
- 3" Diameter

▪ 12VDC, 3A max

PRODUCT	FREQUENCY	WEIGHT	FINISH
<b>H16803A</b>	HIGH TONE (420Hz)	7.6 oz	Black
<b>H16804A</b>	LOW TONE (350Hz)	7.6 oz	Black



## VIBRO MINI ELECTRIC HORN

- Smallest premium horn
- Decibel Level 110 dBA
- 3.5" Diameter

▪ 12VDC, 3A max

PRODUCT	FREQUENCY	WEIGHT	FINISH
<b>H16820A</b>	HIGH TONE (400Hz)	12.3 oz	Chrome
<b>H16821A</b>	LOW TONE (350Hz)	12.3 oz	Chrome



## VIBROSONIC ELECTRIC HORN

- Our loudest electric horn
- Decibel Level 120 dBA
- 5" Diameter

▪ 12VDC, 3.5A max

PRODUCT	FREQUENCY	WEIGHT	FINISH
<b>H16812A</b>	HIGH TONE (400Hz)	35.3 oz	Chrome
<b>H16813A</b>	LOW TONE (325Hz)	35.3 oz	Chrome



## ELECTRIC TRUMPET HORN

- Windtone W75 series
- Decibel Level 110 dBA

▪ 12VDC, 6A max

PRODUCT	FREQUENCY	WEIGHT	FINISH
<b>H16800A</b>	HIGH TONE (500Hz)	9.9 oz	Black
<b>H16801A</b>	LOW TONE (400Hz)	9.9 oz	Black



## WINDTONE TRIO ELECTRIC HORN

- Functions as three horns
- Controller included with 3 modes, including musical

▪ Decibel level 110 dBA  
▪ 12VDC, 5A max

PRODUCT	FREQUENCY	WEIGHT	FINISH
<b>H16819A</b>	HIGH (505Hz) MID (585Hz) LOW (425Hz)	38.8 oz	Black



## 850 SERIES MINI AIR COMPRESSORS



- DC direct drive compressor with mounting bracket and hardware
- Integral outlet check valve
- Light-weight construction, less than 3.1 lbs.
- Compact design mount in any position
- Typical operation 110-135 PSI
- Max cycle 7 minutes with 30 minutes downtime

PRODUCT	VOLT	DESCRIPTION
<b>H00850D</b>	12	1/6 horsepower, 5.37" L x 2.12" W x 4.5" T, oil free, and mount in any position
<b>H00851D</b>	24	1/6 horsepower, 5.37" L x 2.12" W x 4.5" T, oil free, and mount in any position

## 850 SERIES MINI AIR COMPRESSOR KITS

- DC direct drive compressor with mounting bracket

PRODUCT	VOLT	KIT INCLUDES	PRODUCT	VOLT	KIT INCLUDES
<b>A. H00850EC</b>	12	H13940S pressure switch	<b>D. H00853</b>	12	H00626 air tank, H13940S pressure switch and H1311020S tubing
<b>B. H00851EC</b>	24	H13940S pressure switch	<b>E. H00850M</b>	12	H00626 air tank, H13940S pressure switch, H14212 gauge, H1311020S tubing
<b>C. H00850RF</b>	12	Retrofit plate (not shown) to interchange with prior design and H13940S pressure switch			



A. B. C.



D.



E.

## 850 SERIES VACUUM PUMP

- Vacuum pump kit with mounting bracket

PRODUCT	VOLT	DESCRIPTION
<b>H00850H</b>	12	1/6 horsepower, 5.5" L x 2.12" W x 4.6" T, oil free, mount in any position, and generates up to 20" mercury (Hg) vacuum



## MINI AIR COMPRESSOR SERVICE PARTS

PRODUCT	DESCRIPTION
<b>H00850HK</b>	Head replacement kit for 850 Series compressors
<b>H00850PK</b>	Piston replacement kit for 850 Series compressors



H00850HK



## 4WAY™

### DUAL AXIS MIRROR

TILTS LEFT, RIGHT, UP AND DOWN

- Four-way glass movement
- HEATED: Fast uniform defrosting with self-regulating heater
- Superior vibration control
- Chrome shell
- "West Coast" bracket system compatible
- Replaces any 7" x 16" "West Coast" mirror
- Approximate weight: 5 lbs.
- Weighs up to 50% less than other single-axis motorized mirrors
- Includes four-way switches and wiring



Shown without  
amber light

Shown with  
amber light

### MOTORIZED SINGLE

PRODUCT	FINISH	LIGHTED	HEATED
<b>M025001A</b>	Chrome	No	Yes
<b>M025001AL</b>	Chrome	Yes	Yes
<b>M025003A</b>	Black	No	Yes
<b>M025003AL</b>	Black	Yes	Yes

### MANUAL SINGLE

PRODUCT	FINISH	LIGHTED	HEATED
<b>M025002A</b>	Chrome	No	Yes
<b>M025002AL</b>	Chrome	Yes	Yes
<b>M025004A</b>	Black	No	Yes
<b>M025004AL</b>	Black	Yes	Yes

### SETS - TWO MOTORIZED

PRODUCT	FINISH	LIGHTED	HEATED	FREIGHTLINER OEM OPTION CODE	STERLING OEM OPTION CODE	WESTERN OEM OPTION CODE	PETERBILT OEM OPTION CODE	MACK OEM OPTION CODE
<b>M025201A</b>	Chrome	No	Yes	744-088	744-088	744-088	NA	1529037
<b>M025201AL</b>	Chrome	Yes	Yes	744-097	744-097	744-097	7561110	NA
<b>M025203A</b>	Black	No	Yes	NA	NA	NA	NA	NA
<b>M025203AL</b>	Black	Yes	Yes	NA	NA	NA	NA	NA

### SETS - 1-MOTORIZED / 1-MANUAL

PRODUCT	FINISH	LIGHTED	HEATED	FREIGHTLINER OEM OPTION CODE	STERLING OEM OPTION CODE	WESTERN OEM OPTION CODE	PETERBILT OEM OPTION CODE	MACK OEM OPTION CODE
<b>M025202A</b>	Chrome	No	Yes	744-087	744-087	744-087	NA	1529036
<b>M025202AL</b>	Chrome	Yes	Yes	744-096	744-096	744-096	7561160	NA
<b>M025204A</b>	Black	No	Yes	NA	NA	NA	NA	NA
<b>M025204AL</b>	Black	Yes	Yes	NA	NA	NA	NA	NA



## 4WAY™ CLAMP BLOCK / C-LOOP REPLACEMENT KITS

PRODUCT	FINISH	LIGHTED	KIT INCLUDES
<b>M025501A</b>	Chrome	No	2- clamp blocks, 1 - 4WAY™ motorized mirror.
<b>M025502A</b>	Chrome	No	2- clamp blocks, 1 - 4WAY™ manual mirror.
<b>M025500A</b>	NA	NA	2 - clamp blocks and mounting hardware. (NO mirror)

**M015376 ACTUATOR MOTOR**  
**M025376FS FREIGHTLINER ACTUATOR MOTOR**



**M025000 4WAY™ MIRROR DISPLAY STAND**  
 • Includes 4WAY™ mirror and TIC™ mirror for use as counter or shelf display.



**M025116A 4WAY™ SINGLE CONTROL SWITCH**  
**M025116FS FREIGHTLINER 4WAY™ SINGLE CONTROL SWITCH**



**M025041 REPLACEMENT GLASS WITH HEATER**



**M025117A 4WAY™ DUAL CONTROL SWITCH**  
**M025117FS FREIGHTLINER 4WAY™ DUAL CONTROL SWITCH**



## STANDARD FLAT MIRROR

PRODUCT	FINISH	SIZE	HEATED	POSITION
<b>H03100A</b>	Stainless	7" x 16"	No	Universal
<b>H03102A</b>	Stainless	7" x 16"	Yes	Universal



## STANDARD CONVEX ROUND MIRROR

PRODUCT	FINISH	SIZE	HEATED	POSITION
<b>H03300A</b>	Stainless	8" diameter	No	Center
<b>H03301A</b>	Stainless	8" diameter	Yes	Center
<b>H03320A</b>	Stainless	8" diameter	No	Offset
<b>H03321A</b>	Stainless	8" diameter	Yes	Offset



## WIDE ANGLE CONVEX MIRROR

PRODUCT	FINISH	SIZE	HEATED	POSITION
<b>A5009</b>	NA	6" X 9"	No	Universal



## TURN INDICATOR CONVEX (TIC)<sup>®</sup> MIRRORS

- With LED turn indicator

PRODUCT	FINISH	SIZE	HEATED	POSITION
<b>H03200A</b>	Stainless	8" diameter	No	Center
<b>H03201A</b>	Stainless	8" diameter	Yes	Center
<b>H03220A</b>	Stainless	8" diameter	No	Left Hand
<b>H03221A</b>	Stainless	8" diameter	Yes	Left Hand
<b>H03240A</b>	Stainless	8" diameter	No	Right Hand
<b>H03241A</b>	Stainless	8" diameter	Yes	Right Hand



## CUSTOM RV & SPECIALTY VEHICLE MIRROR DESIGNS

Hadley's selection of mirrors allows you to choose virtually any configuration possible with the widest assortment of options.

### HEAD OPTIONS

- 9" x 13"
- 8" x 18"

### FINISH OPTIONS

- Black powder coat
- White
- Chrome

### GLASS OPTIONS

- Full face: flat & convex
- Full face with stick-on convex
- Add-on convex mirror sizes:
  - 5" round
  - 6" round
  - 5" x 7" rectangular
- Split view
  - Flat top or bottom
  - Convex top or bottom
- Wide-angle convex BRC mirror  
25% improvement in viewing area over conventional convex mirrors!
- Quick-release glass bezels
- Manual
- Heated remote



- Call Hadley for corner mount and side mount mirror options.

## 9" X 13" MIRROR

### DISPLAYED WITH OPTIONAL LED TURN SIGNAL:

- 2 way, 2 color light: red & amber
- Available in a variety of lengths
- Clear lens
- Can be mounted on ANY head

- Optional camera shown



### FORD CLASS C WIDE BODY MIRROR

- European styling
- 9" x 13" mirror head
- 18" arm

### FORD CLASS C WIDE BODY MIRROR OPTIONS

PRODUCT	FINISH	MODEL	MANUAL	HEATED & REMOTE
<b>T1000</b>	White	2003 & Newer	Yes	No
<b>T1001</b>	White	2003 & Newer	Yes	No
<b>T1004</b>	White	2003 & Newer	No	Yes
<b>T1005</b>	White	2003 & Newer	No	Yes

## TURN SIGNAL OPTIONS

- Thru-glass technology
- Side mount signal on mirror head  
The only dual-directional turn signal!
- Bottom mount signal



## CAMERA OPTIONS

Hadley's camera option sends an image to a monitor display inside the vehicle. The location of the camera within the mirror provides better protection of the camera. This upgrade feature adds another level of safety and security - providing on-screen surveillance for both sides of the vehicle.

**CAMERA WITHIN THE MIRROR PROVIDES BETTER PROTECTION FOR THE CAMERA!**



## MULTIPLEXING CAPABILITIES

Multiplexing technology reduces the number and length of electrical wiring, meaning fewer wires and connections doing more work with less complexity.

## CUSTOM TOUR COACH & TRANSIT MIRROR DESIGNS

Advanced BRT design, aesthetically pleasing with Hadley durability and reliability.

### FEATURING THESE ADVANCED OPTIONS

#### DOVETAIL MOUNT

Less vibration, increased reliability and quick release for easy replacement with molded connector.

#### EXCLUSIVE "WIRECHASE" DESIGN

Available on mirrors with tube arms and extruded aluminum arms.

#### MULTIPLEXING TECHNOLOGY

Multiplexing technology reduces the number and length of electrical wiring, meaning fewer wires and connections doing more work with less complexity.

#### INNOVATIVE 9" X 13" MIRROR

Increases curb height on low floor buses - 2" gain on head clearance, and wider head for increased view area!



BRT 8" x 18"

#### DOOR MOUNT SHUTTLE BUS MIRRORS

PRODUCT	FINISH	MAKE/MODEL	MANUAL/MOTORIZED	HEATED
<b>S2007</b>	Black	2003-07 Ford	Manual	Yes
<b>S2009</b>	Black	2003-07 Ford	Manual	No
<b>S2049</b>	Black	2007 + Chevy	Motorized	No

#### FENDER MOUNT SHUTTLE BUS MIRRORS

PRODUCT	FINISH	MAKE/MODEL	MANUAL/MOTORIZED	HEATED
<b>S2008</b>	Black	2003-07 Ford	Manual	Yes
<b>S2010</b>	Black	2003-07 Ford	Motorized	No
<b>S2100</b>	Black	2008 Ford	Motorized	No
<b>S2102</b>	Black	2008 Ford	Motorized	Yes
<b>S2050</b>	Black	2007 + Chevy	Motorized	No

## LARGEST SELECTION OF OPTIONS

### MOUNTING OPTIONS

- Dovetail - Less vibration, increased reliability and quick release for easy replacement with molded connector
- Cast bracket
- Auto-return

### ARM OPTIONS

- European & standard styles
- Extruded aluminum
- Steel/Stainless steel tube arm
- Cast aluminum

### HEAD OPTIONS

- 8" x 8"
- 8" x 11"
- 8" x 15"
- 8" x 18"
- Manual: heated or non-heated
- Remote: heated or non-heated
- 8" x 22"
- 9" x 13"
- 10" x 11"

### FINISH OPTIONS

- Black powder coat
- White
- Chrome



### CAMERA OPTIONS

Hadley's camera option sends an image to a monitor display inside the vehicle. The location of the camera within the mirror provides better protection of the camera. This upgrade feature adds another level of safety and security - providing on-screen surveillance for both sides of the vehicle.



## TURN SIGNAL OPTIONS

- Thru-glass technology
- Side mount signal on mirror head  
The only dual-directional turn signal!
- Bottom mount signal



## GLASS OPTIONS

- Full face: flat & convex
- Full face with stick-on convex
- Add-on convex mirror sizes:
  - 5" round
  - 6" round
  - 5" x 7" rectangular
- Split View (single head, split glass)
  - Flat top or bottom
  - Convex top or bottom
- Wide-angle convex BRC mirror  
25% improvement in viewing area over conventional convex mirrors!
- Quick-release glass bezels

Hadley leads the transit bus mirror industry with innovations to improve safety and reliability. Our exclusive wire chase design is available on select Hadley exterior mirrors and the revolutionary 9" x 13" head design which provides an additional 2" of curb height clearance on low floor transit buses. Hadley's wide angle convex provides a 25% gain in viewing area vs. conventional convex mirrors!

## TOUR COACH & TRANSIT INTERIOR MIRROR DESIGNS

Hadley's interior transit bus mirrors are a durable yet economical choice for fleets, offered in the most popular sizes and shapes.

### CHOOSE YOUR INTERIOR OPTIONS

#### MOUNTING OPTIONS

- Ball shaft
- Fixed bracket

#### GLASS OPTIONS

- Standard safety glass
- Available tempered glass



#### STANDARD INTERIOR MIRRORS

PRODUCT	SHAPE	SIZE	MIRROR
<b>A1706</b>	Rectangular	8" X 16"	flat
<b>A1706CX</b>	Rectangular	8" X 16"	convex
<b>A1708</b>	Round	8.5" dia.	flat
<b>A1708CX</b>	Round	8.5" dia.	convex
<b>A1712</b>	Round	12" dia.	convex
<b>A1716</b>	Rectangular	4" x 16"	convex
<b>A1716CX</b>	Rectangular	4" x 16"	flat
<b>A1734-NB</b>	Oval	4" x 12.5"	flat
<b>A6010-4</b>	Round	6.5" dia.	flat
<b>A6000</b>	Round	6.5" dia.	convex
<b>A5009</b>	Rectangular	6" x 9"	BRC convex
<b>A1709</b>	Rectangular	6" x 9"	convex

Call for tempered glass options

## L20™ INTERIOR LIGHTING SYSTEM

Already a transit industry standard, the multi-functional L20 Lighting System just got better. Hadley provides a Lifetime Warranty covering the system for up to 12 years. It's the warranty you may never need to use. Thanks to the L20 one-piece composite design, it will not corrode, rust, dent, crack, scratch, promote condensation, rattle, shrink or stretch. With a focus on safety, the design of the L20 Lighting System will not conduct electricity and focuses light on those areas where light is needed. It is available in a number of modular designs and lengths to suit your specific application.

### FEATURING

- Meets or exceeds APTA guidelines
- Flush hinged access doors
- Variety of mounting profiles
- One piece, fiber-reinforced composite base panel
- Clear prism, white frost, or blue tint poly-carbonate lamp cover
- LED available with standard 7 year LED warranty and optional 12 year LED warranty
- T-12 fluorescent tube types
- Shipped fully assembled for easy installation
- Lightweight
- Energy efficient



### BALLASTS

- Single ballast per light
- ADB "arc sensing" with & without extinguishable
- Various voltages
- HO dimmable
- Repairable

## MINI MILLENNIUM™ LED

The newly reengineered and redesigned Mini Millennium offers even more features and benefits than ever before. The low temperature LED output is highly efficient with a long service life. The Mini Millennium is extremely durable with a high resistance against vibration.




COMPACT DESIGN OFFERS  
PLACEMENT VERSATILITY!

## FEATURING

- Anodized aluminum base with polycarbonate lamp cover
- 12V and 24V versions
- Reverse polarity/thermal protection
- 7 year durability guarantee
- Low profile (installed is 1.125")
- Compact design offers placement versatility
- Completely assembled
- Applicable as new equipment or retrofit
- Complies with United States and Canadian safety standards

## MILLENNIUM™ INTERIOR LIGHT

It's the ultimate development in transit lighting. The Millennium offers low cost, full adaptability to all forms of mass transportation and durable construction suited to the rigors and varied environments inherent to public transportation. And, of course, all components and materials meet the highest standards of safety, fire retardance and efficiency.



## FEATURING

- T-12 fluorescent tube and LED versions
- 2', 3', 4', 5' and 6' lengths available
- Repairable ballast available in various voltages with status indicators
- Optional design allows up to 3 units of 73" to be installed in continuous series with 3" lamp finishers at end of run
- Shipped fully assembled

## OVERHEAD SYSTEMS

Interior systems for suburban buses, coaches, day charter shuttles and light rail. Overhead systems including headliners as well as luggage racks with lighting and air-ducts. Assembled in the United States and fully meets "Buy America" requirements.



## FEATURING

- Luggage racks, both shelf and aircraft types
- Air-ducts complete with wiring harnesses, also laminated with fabric to match vehicle
- Pressure aluminum die-cast or reinforced plastic supports
- Headliners with front and rear finishers, equipped with clocks, monitors, toilet occupancy indicators
- Day and night-time lighting options
- Service set options with individual reading lights, adjustable vents, loud speakers and call buttons



## FUTURE VEHICLE INTEGRATION

- Adaptable overhead systems to meet specific customer requirements
- Optional fully wired units ready for mounting
- Individual service sets for personal seat comfort



## NEXT GENERATION OFFERS FLEXIBILITY IN: MOUNTING • PLUMBING • LEVER ATTACHMENT

- Lightweight
- High flow standard. Call for low flow designs.
- PTC fittings - 3/8" standard or 1/4" custom
- Multiple mounting configurations
- Fits all truck & trailer applications
- Low cost!
- Multiple lever orientations



NGHCV DUMP NEUTRAL



NGHCV NON-DUMP NEUTRAL

### UNIVERSAL NON-DUMP VALVE TRUCK AND TRAILER APPLICATIONS

- 3/8" PTC fittings in supply & suspension

PRODUCT	KIT INCLUDES
<b>H01500UN</b>	<ul style="list-style-type: none"> <li>• 4 different size lever options</li> <li>• Mounting bolts</li> <li>• 1 - 3/8" 90 degree stem fittings</li> <li>• Instruction sheet</li> </ul>



### UNIVERSAL PRESSURE DUMP VALVE TRUCK AND TRAILER APPLICATIONS

- 3/8" PTC fittings in supply & suspension
- 1/4" pilot port
- Excludes Peterbilt and Kenworth

PRODUCT	KIT INCLUDES
<b>H01501UD</b>	<ul style="list-style-type: none"> <li>• 3 different size lever options</li> <li>• 1 - 1/4" 90 degree stem fittings</li> <li>• 1 - 3/8" 90 degree stem fittings</li> <li>• Air line to convert the H01501UD to a non-dump valve</li> <li>• Instruction sheet</li> <li>• 1 - 3/8" plug</li> <li>• Mounting bolts</li> </ul>



### UNIVERSAL ZERO PRESSURE DUMP VALVE TRUCK AND TRAILER APPLICATIONS

- 3/8" PTC fittings in supply, suspension and pilot port

PRODUCT	KIT INCLUDES
<b>H01502UNC</b>	<ul style="list-style-type: none"> <li>• 3 different size lever options</li> <li>• 1 - 1/4" 90 degree stem fittings</li> <li>• 1 - 3/8" plug</li> <li>• Mounting bolts</li> <li>• Instruction sheet</li> </ul>



### UNIVERSAL PRESSURE DUMP VALVE PETERBILT AND KENWORTH APPLICATIONS

- 1/4" PTC fittings in supply, suspension and pilot port

PRODUCT	KIT INCLUDES
<b>H01501PUD</b>	<ul style="list-style-type: none"> <li>• 3 different size lever options</li> <li>• Mounting bolts</li> <li>• Instruction sheet</li> </ul>




## CLASSIC VALVES

### 450 SERIES HEIGHT CONTROL VALVE KITS

- For tractor cab or chassis and trailer applications

PRODUCT	KIT INCLUDES
<b>H00450CE</b>	H00450CE valve, (2) levers and (2) brackets



### 500 SERIES HEIGHT CONTROL VALVE KITS

- With integral dump valve for tractor, trailer and Class A RV applications (single suspension ports)

PRODUCT	KIT INCLUDES
<b>H00500C</b>	H00500C valve, (3) levers and (2) brackets



### 500 SERIES HEIGHT CONTROL VALVE KITS

- With Integral Dump Valve (Dual Suspension Ports)

PRODUCT	KIT INCLUDES
<b>H00500DC</b>	H00500DC valve, (3) levers and (2) brackets



### 500 SERIES HEIGHT CONTROL REVERSE ACTUATION VALVE KITS

- With integral dump and reverse actuation valve for automatic dump, trailer only

PRODUCT	KIT INCLUDES
<b>H00500CA</b>	H00500C valve, (3) levers and (2) brackets. HPB500D reverse actuation valve



### 600 SERIES HEIGHT CONTROL VALVE KITS

- For Cab or light duty chassis applications

PRODUCT	KIT INCLUDES
<b>H00600P</b>	(2) levers and HPB450H linkage



## 500 SERIES ALL MAKES HEIGHT CONTROL VALVE KITS

- For tractor applications
- With Integral Dump Valve (Dual suspension ports)

PRODUCT	MAKE	KIT INCLUDES
<b>H00500CF</b>	Mack	H00500CF valve, (3) levers and (2) brackets
<b>H00500CG</b>	Kenworth	H00500CG valve, (3) levers and (2) brackets
<b>H00500FS</b>	Freightliner	H00500FS valve, (3) levers and (2) brackets
<b>H00500CB</b>	Peterbilt	H00500CB valve, (3) levers and (2) brackets
<b>H00500VW*</b>	Volvo	H00500VW valve, (3) levers and (2) brackets

\*REPLACES WABCO VALVE



## ACCESSORIES


PRODUCT	DESCRIPTION
<b>A. HPB450H</b>	Rubber ended universal linkage
<b>B. HPB500D</b>	Reverse actuation valve kit for H00500CA. Can be used as "Normally opened dump valve"
<b>C. H00460</b>	Adjustable universal linkage



A.



B.



C.



## SAMS® LEVELING SYSTEM

The Smart Air Management System (SAMS™) by Hadley is an electronically controlled air management system that automatically levels the vehicle even in soft terrains or parking lots that prohibit jacks. The SAMS system is also the first system in the industry to be able to raise and lower the chassis while moving at slow speeds.


- Hadley systems are designed to meet each customers' specific needs



SAMS® control panel

## SAMS 2® LEVELING SYSTEMS WITH INTEGRATED CONTROLS

- The only automated system integrated with the suspension to control jacks and air leveling
- Full integration results in greater dependability and less service and warranty issues
- Eliminates extra control panel for jacks
- Automatically controls the ride height of vehicle during normal road use resulting in a smoother ride over mechanical control valve systems
- Built-in diagnostics



Manifold Assembly

### SAMS 2®

- 4 station
- 6 station
- 8 station



SAMS 2® integrated control panel



Sensor

Hadley provides custom tube bending services to the Class 5-8 Trucks, Trailers, Transit & Shuttle Bus, RV, Motor Coach, Specialty Vehicle markets. Hadley offers full design and production for any volume needs.

## PROCESSES INCLUDE:

- CNC Tube Bending
- Flaring
- Beading / Dimpling / Punching / Drilling / Flowdrilling
- Notching / Slotting / Roll Forming
- High Speed Double-Cut Shearing to Length
- Powder Coating / Painting
- Chrome Plating / Zinc Plating / Anodizing
- Brazing / MIG Welding / TIG Welding
- CNC Tooling Production
- Process up to 2,000 ft. per min.



CUSTOM TUBE BENDING

## MATERIALS

- Carbon Steel
- Aluminum Alloys
- Stainless Steel
- Brass
- Copper
- Aluminized Steel
- Galvanized

## SIZE AND SHAPE

- 1/2" to 4" diameter
- .030" wall to Schedule 80
- Bar
- Round tube & pipe
- Square • Rectangular
- Extruded shapes available upon request

## 3D CAD/CAM CAPABILITIES

Hadley designs and provides drawings with full specifications for our customers. We will also work with your sketches or drawings that are provided in Tif, Gif, Dwg, Dxf, Iges or Catia formats. If you prefer, you may send a sample part. Our CAD/CAM capabilities allow us to "digitize" your part and develop the processes required to duplicate it. We also welcome faxed drawings or send your drawings through USPS mail or other delivery service.

THIS PAGE INTENTIONALLY LEFT BLANK.



SPIRIT. SPEED. INTEGRITY.

"Total customer satisfaction through quality and continuous improvement in everything we do".

GLOBAL HEADQUARTERS & TRUCK GROUP  
2851 Prairie S.W.,  
Grandville, MI 49418

Ph. 616.530.1717 Fax 616.530.3283

TRANSIT GROUP  
2503 Marina Drive  
Elkhart, IN 46514

Ph. 574.266.3700 Fax 574.266.3747

[www.hadley-products.com](http://www.hadley-products.com)